



Features/Advantages	Description	Applications
<ul style="list-style-type: none"> <li>• Single chassis holds any combination of up to 10 modular cards</li> <li>• Easily expand and install starting with 4 cameras</li> <li>• Hot swappable cards</li> <li>• Fits standard EIA 2RU 19 inch rack mount</li> <li>• UL certified</li> </ul>	<p>The <b>ETS Video Surveillance Plus Chassis</b> is a two rack unit, 10 slot, 19 inch rack-mountable chassis which is capable of holding up to 10 modular cards. With 10 modular cards, you can connect up to 40 cameras.</p> <p>The chassis provides 28 VAC at 24 AAC output and has an input permitting 110 or 220 VAC. It provides the capability of supplying power to <b>ETS Video Surveillance Plus</b> VSP-XXX cards through the use of its back-plane. The Pan, Tilt, Zoom (PTZ) control is supplied by using the <b>ETS Video Surveillance Plus VSP-409 PTZ*</b> card over a similar bus back-plane.</p> <p>All cards located in the chassis are hot swappable, making it unnecessary to shutdown the entire video surveillance system when removing and/or replacing a card.</p> <p>* Pan, Tilt, Zoom</p>	<p>Video Surveillance Systems for:</p> <ul style="list-style-type: none"> <li>• State &amp; Federal Buildings,</li> <li>• Transportation Systems,</li> <li>• Retail, Schools,</li> <li>• Military bases,</li> <li>• Highways,</li> <li>• Parking Lots,</li> <li>• City Streets,</li> <li>• Shopping centers &amp;</li> <li>• Sports arenas</li> </ul>

Specifications		Product Ordering Information	
Capacity:	10 modular cards	VSP-10AC1	AC-powered Chassis 2RU high, 110VAC IN, 28VAC@24A OUT
Input Voltage	110 or 220 VAC	VSP-10AC2	AC-powered Chassis 2RU high, 220VAC IN, 28VAC@24A OUT
Output Voltage	28 VAC @ 24 Amps AC (for 2RU high)	VSP-10DC	DC-powered Chassis 2RU high, 12VDC Power Supply
Dimensions (HLW)	48.3 x 45.7 x 8.9cm (19.00 x 18.00 x 3.50in)	VSP-10NP	Non-powered Chassis 2RU high
Net Weight	15.9kg (35 lbs)	VSP-41AC	AC-powered Chassis 1RU high, 110VAC IN
		VSP-42AC	AC-powered Chassis 1RU high, 220VAC IN
		VSP-40DC	DC-powered Chassis 1RU high, 12VDC Power Supply

© Copyright 1999-2007 Energy Transformation Systems, Inc. FatCat5 System panels and information outlets protected under US Patent Number 6,123,577. FatCat5, FatCat5 System, Chameleon Color Coding System, Balanced Star, Balanced Line, Monoline and Precision Wave are trademarks of Energy Transformation Systems. All other brand or product names are or may be trademarks of, and are used to identify, products or services of their respective owners. Revised 04/03/03



**Energy Transformation Systems, Inc.**  
 43353 Osgood Rd. Unit B, Fremont, CA 94539  
 800-752-8208 (US only) Fax 510-656-2026  
 510-656-2012